

# Healing Transgenderism After Surgical Detransition Through Cannabidiol, Magnetic Acupuncture and Neutrons – Theoretical and Practical Prospects

**Claire Lavin**

Independent researcher

**Florent Pirot**

Independent researcher

ORCID: 0000-0003-0823-615X

## ABSTRACT

**There are promising yet unexplored pathways for healing transgender people who detransitioned through a combination of cannabidiol, surgery, magnetic acupuncture and neutrons. The pattern behind transgenderism is explored again through a review of the existing literature showing the links with internal contamination with alpha emitters. This contamination can be removed through magnetic acupuncture, neutron treatment (with fission) or a combination of both. Non-magnetic acupuncture also helps neurologically. It is argued that the proven stem cell boost and stem cell migration effect of cannabidiol can be used to restore the primitive organs.**

Transgenderism has been shown to spill from internal contamination with alpha emitting nanoparticles and their endocrine disruption [1]. The endocrine disruption effect of alpha emitting nanoparticles has been shown in several publications, in [2] and [3] its oestrogen-mimic effects are underlined, its thyroid disruptive effects are underlined in [4]. Hormone level changes associated with hematopoietic effects and « rogue » cells effects were observed in uranium miners [5]. In [6] it was observed that LH and FSH levels were increased in DU-exposed rates, and inversely correlated with steroid production. The authors also note that uranium « is more likely to target organs of the reproductive tract and to concentrate in the semen ». They note that « DU could come from testicular fluid (and then bypass the blood-testis barrier (BTB)) and/or bypass the blood-epididymal barrier ». DU could « disrupt the BTB » - they note that « the normal function of the BTB is to protect developing germ cells against harmful agents and immunological influences ». It is sure that a « need for more research to delineate the impacts of unrecognized or untreated gender dysphoria on autoimmune disease development and control » has been underlined in [7]. Steroid production is a marker of wellbeing. Steroids and libido are related: steroids can affect the mood, cause irrational behaviour, increase aggressiveness, irritability, increase sexual desire and cause depression [8]. Hypogonadism results from excess use of anabolic steroids [9] [10] [11]. Hypogonadism together with irrational behaviour are a channel through which transgenderism may develop. Increased sexual desire together with hypogonadism may explain gender dysphoria, and the oestrogenic-mimic effects could also derail male identity. These new elements confirm what was already stated in [1].

It is possible to hypothesize that while these effects are more likely to explain gender dysphoria and transition in men, the auto-immune disease effect could explain transition in women. It is clear that there is an autoimmune disease dominance in women [12]. This correlates with the fact that in hypogonadism there is little women affected. The authors of [12] note that « estrogens are potent stimulators of autoimmunity » whereas « androgens seem to play a protective role in the process ». Estrogens being mimicked by uranium, this confirms the direct link between immune diseases and contamination with alpha emitters including DU shown in [13].

Thyroid health and uranium exposure have been related [14]. In [4], the authors « observed that uranium significantly decreased the expression of *Deio2* mRNA and the level of T3, but increased T4 level in zebrafish larvae at relatively high concentration ». The T4 levels are increasingly associated with high levels of gonadotropin which is directly related with endocrine disruption. For instance, acute T4 levels are related to hyperthyroidism [15] which in turn leads to lower testosterone levels [15] [16]. Differentiated effects on LH and FSH of hypothyroidism have been noted [17]. These differentiated effects may create a feeling of inappropriation and of luteinization.

It is possible to argue that transgender surgery can be at least partly reversed through the stem cell boost effect of cannabinoids. It is clear that a germ cell effect of alpha emitters such as DU is a root cause of transgenderism. Hormonal disruption in general also fosters it in various ways that have been underlined. The bone marrow stem cell boost effect of phytocannabinoids has been underlined [18]. It is clear that phytocannabinoids bolster adipose- and bone marrow-derived stem cells [19]. Mesenchymal stem cell migration is also boosted by cannabidiol [20]. Cannabidiol promoted zebrafish fin regeneration and reduced apoptosis after amputation [21]. This allows at least to predict the regeneration of nonfunctional gonads after surgical detransition for cases where only one of the ovaries / testicles has been ablated, following the observations on very small embryonic-like stem cells (VSELs), their ability to survive oncotherapy and the fact that they “can be manipulated to regenerate nonfunctional gonads of cancer survivors, [...] thus there is possibly no need to bank testicular/ovarian tissue prior to oncotherapy.” [22]. Cannabidiol was shown to contribute to bone regrowth [23] (see also [24]). This was confirmed experimentally by one of the authors after bone break (the consumption of CBD accelerated significantly bone reconstruction in spite of a bad prognosis, in the framework of an overall vegan diet). This suggests that there are pathways to organ regeneration through CBD as well.

There is a possible path with both magnetic and non-magnetic acupuncture and cannabidiol, as well as neutron treatment in one case, for people who have detransitioned. Each case is individual. In one case, it was clear that non-magnetic acupuncture near the neck and magnetic acupuncture behind the breasts was needed together with cannabidiol. In another case, it was clear that non-magnetic acupuncture on the shoulders close to the neck and magnetic acupuncture just above the uterus was needed. In another case, non-magnetic acupuncture behind the shoulders, magnetic acupuncture near the right kidney (from the back) and near the mammal glands was needed but no cannabidiol. In another case, non-magnetic acupuncture below the neck and magnetic acupuncture on the buttocks as well as behind the breasts just above them together with some cannabidiol was needed. In another case, it appeared that the ablated breasts of the woman were present as model in the brain and that cannabidiol's stem

cell boost would foster regrowth. In another one, magnetic acupuncture above buttocks and neutron treatment near the neck around the thyroid together with some cannabidiol. The effects of neutron treatment could be veriflicated with immediate experiment. The subject confirmed feeling better after an experiment allowing fast neutrons, and acknowledged veganism. The subject was invited to spit in an empty can of aluminium (soda can) and to salinize. Spit was also added under the tonguelet which was then pressed while spinning fast the can, as in [25]. Al27 is a small neutron source with alpha emitters. In another case, neutron treatment was proposed with the same spit-in-the-can-and-salinize protocol. It achieved some immediate results in spite of a bad prognosis. The following cases are masculine. In one of them, magnetic acupuncture behind the neck was needed together with non-magnetic acupuncture above the buttocks. The second one needed nothing except cannabidiol. The third case of male-to-female-to-male needed only magnetic acupuncture above the buttocks.

It is hence argued that there are promising pathways for healing transgenderism after surgical detransition. There are reasons to be very optimistic. The body certainly needs a full elimination of alpha emitters before the stem cell boost effect of cannabidiol can work efficiently. Veganism also helps by fostering better stem cell migration levels. This is also proven by observation by one of the authors on a subject that underwent detransitioning and forgot to detransition some of her buttocks through magnetic acupuncture in spite of being told to come back for another treatment. What happened is that the buttocks took control of her after she was groped in the subway and “he” came back. So there is a need for full decontamination of the body.

## References

- [1] Pirot F., Behind transgender identities – the biophysics & the societal deficits creating the phenomenon. *International Research Journal of Public Health*, 2021; 5:50. DOI: 10.28933/irjph-2021-05-2606
- [2] Raymond-Whish S, Mayer LP, O'Neal T, Martinez A, Sellers MA, Christian PJ, Marion SL, Begay C, Propper CR, Hoyer PB, Dyer CA. Drinking water with uranium below the U.S. EPA water standard causes estrogen receptor-dependent responses in female mice. *Environ Health Perspect*. 2007 Dec;115(12):1711-6. doi: 10.1289/ehp.9910. PMID: 18087588; PMCID: PMC2137136.
- [3] Dyer, C.A. (2007). Heavy Metals as Endocrine-Disrupting Chemicals. In: Gore, A.C. (eds) *Endocrine-Disrupting Chemicals*. Contemporary Endocrinology. Humana Press. <https://doi.org/10.1007/1-59745-107-X5>
- [4] Chao X, Tianyang L, Chenjian H, Hangqin G, Jing Y, Ling L, Weiping L, Lili N, Waterborne uranium causes toxic effect and thyroid disruption in zebrafish larvae, *Ecotoxicology and Environmental Safety*, Volume 208, 15 January 2021, 111585, <https://doi.org/10.1016/j.ecoenv.2020.111585>
- [5] Zaire R, Notter M, Riedel W, Thiel E. Unexpected rates of chromosomal instabilities and alterations of hormone levels in Namibian uranium miners. *Radiat Res*. 1997 May;147(5):579-84. PMID: 9146703.
- [6] A. Legendre, C. Elie, C. Ramambason, L. Manens, M. Souidi, P. Froment, Endocrine effects of lifelong exposure to low-dose depleted uranium on testicular functions in adult rat, *Toxicology*, 368–369 (2016), pp. 58-68
- [7] Logel SN, Maru J, Whitehead J, Brady C, Walch A, Lasarev M, Rehm JL, Millington K. Higher Rates of Certain Autoimmune Diseases in Transgender and Gender Diverse Youth. *Transgend Health*. 2024 Jun 17;9(3):197-204. doi: 10.1089/trgh.2022.0079. PMID: 39109261; PMCID: PMC11299103.

- 
- [8] O'Malley G.F., O'Malley R., Stéroïdes anabolisants, Le Manuel MSD, 2022, <https://www.msmanuals.com/fr/accueil/sujets-particuliers/drogues-illicites-et-substances-toxiques/st%C3%A9ro%C3%AFdes-anabolisants>
- [9] Duclos, M, Les effets du dopage sur la fonction de reproduction - Effects of dopage on reproductive function, *Science & Sports*, Volume 20, Issues 5–6, October–December 2005, Pages 247-255 <https://doi.org/10.1016/j.scispo.2005.04.002>
- [10] Boregowda K, Joels L, Stephens JW, Price DE, Fertility and Sterility, Volume 96, Issue 1, July 2011, Pages e7-e8, Fertility and Sterility, Original article <https://doi.org/10.1016/j.fertnstert.2011.04.029>
- [11] Rahnema CD, Lipshultz LI, Crosnoe LE, Kovac JR, Kim ED. Anabolic steroid-induced hypogonadism: diagnosis and treatment. *Fertil Steril*. 2014 May;101(5):1271-9. doi: 10.1016/j.fertnstert.2014.02.002. Epub 2014 Mar 14. PMID: 24636400.
- [12] Quintero OL, Amador-Patarroyo MJ, Montoya-Ortiz G, Rojas-Villarraga A, Anaya JM, Autoimmune disease and gender: Plausible mechanisms for the female predominance of autoimmunity, *Journal of Autoimmunity*, Volume 38, Issues 2–3, May 2012, Pages J109-J119, <https://doi.org/10.1016/j.jaut.2011.10.003>
- [13] Pirot F. Uranium and other alpha emitting nanoparticulates: the forgotten pollutant, 2018. {hal-01786377v3}
- [14] Van Gerwen M., Alpert N, Lieberman-Cribbin W, Cooke P, Ziadkhanpour K, Liu B, Association between uranium exposure and thyroid health: a national health and nutrition examination survey analysis and ecological study, *Int. J. Environ. Res.*, 17 (2020), p. 712 <https://doi.org/10.3390/ijerph17030712>
- [15] Shahid MA, Ashraf MA, Sharma S. Physiology, Thyroid Hormone. [Updated 2023 Jun 5]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK500006/>
- [16] Sengupta P, Dutta S. Thyroid disorders and semen quality. *Biomed Pharmacol J.* (2018) 11:1–10. doi: 10.13005/bpj/1342, PMID: 37701901
- [17] Romano RM, Bargi-Souza P, Brunetto EL, Goulart-Silva F, Salgado RM, Zorn TMT, Nunes MT. Triiodothyronine differentially modulates the LH and FSH synthesis and secretion in male rats. *Endocrine*. 2018 Jan;59(1):191-202. doi: 10.1007/s12020-017-1487-y. Epub 2017 Dec 5. PMID: 29210006.
- [18] Fellous T, De Maio F, Kalkan H, Carannante B, Boccella S, Petrosino S, Maione S, Di Marzo V, Iannotti F A, Phytocannabinoids promote viability and functional adipogenesis of bone marrow-derived mesenchymal stem cells through different molecular targets <https://doi.org/10.1016/j.bcp.2020.113859>
- [19] Miller H, De Leo N, Badach J, Lin A, Williamson J, Bonawitz S, Ostrovsky O. Role of marijuana components on the regenerative ability of stem cells. *Cell Biochem Funct.* 2021 Apr;39(3):432-441. doi: 10.1002/cbf.3609. Epub 2020 Dec 21. PMID: 33349985.
- [20] Schmuhl E, Ramer R, Salamon A, Peters K, Hinz B. Increase of mesenchymal stem cell migration by cannabidiol via activation of p42/44 MAPK. *Biochem Pharmacol.* 2014 Feb 1;87(3):489-501. doi: 10.1016/j.bcp.2013.11.016. Epub 2013 Dec 1. PMID: 24304686.
- [21] Shisan X, Huan Z, Cun-Zhao L, Ping-Shan L, Guijiang W, Yu Suen C, Shuk Han C, Xueping C, Cannabidiol promotes fin regeneration and reduces apoptosis in zebrafish embryos, *Journal of Functional Foods*, Volume 86, November 2021, 104694, <https://doi.org/10.1016/j.jff.2021.104694>
- [22] Bhartiya D, Anand S, Kaushik A, Sharma D. Stem Cells in the Mammalian Gonads. *Adv Exp Med Biol.* 2019; 1201:109-123. doi: 10.1007/978-3-030-31206-0\_6. PMID: 31898784.
-

- [23] Khajuria DK, Karuppagounder V, Nowak I, Sepulveda DE, Lewis GS, Norbury CC, Raup-Konsavage WM, Vrana KE, Kamal F, Elbarbary RA. Cannabidiol and Cannabigerol, Nonpsychotropic Cannabinoids, as Analgesics that Effectively Manage Bone Fracture Pain and Promote Healing in Mice. *J Bone Miner Res*. 2023 Nov;38(11):1560-1576. doi: 10.1002/jbmr.4902. Epub 2023 Sep 25. PMID: 37597163; PMCID: PMC10864058.
  
- [24] Marques Azzini GO, Marques Azzini VO, Santos GS, Visoni S, Fusco MA, Beker NS, Mahmood A, Bizinotto Lana JV, Jeyaraman M, Nallakumarasamy A, Jeyaraman N, da Fonseca LF, Luz Arab MG, Vicente R, Rajendran RL, Gangadaran P, Ahn BC, Duarte Lana JFS. Cannabidiol for musculoskeletal regenerative medicine. *Exp Biol Med (Maywood)*. 2023 May;248(5):445-455. doi: 10.1177/15353702231162086. Epub 2023 May 9. PMID: 37158062; PMCID: PMC10281618.
  
- [25] Pirot F., A « Water Motor » With an Accelerator, Water with High Natural Radioactivity and Fission, *Int J of Theoretical and Computational Physics*, Vol. 3, issue 1, 2022, doi: 10.47485/2767-3901.1022